

INDIAN VEHICLES - BRAKE LINING

JEEP / PASSENGER CARS/ UTILITY VEHICLES - BRAKE LINING						Brakewel	
BRAKELINING	Size	Application	Width	No. of Holes	PART NO OF OTHER MFRS	Front/ Rear	NO OF LININGS (PER SET)
HINDUSTAN MOTORS							
BBL / HM / 2	STD	AMBASSADOR NOVA DIESEL & ISUZU PETROL	2 1/2"	10	TVS/HM/2	F	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
BBL / HM / 3	STD	AMBASSADOR NOVA DIESEL & ISUZU PETROL	1 3/4"	10	TVS/HM/3	R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
BBL / HM / 4	STD	AMBASSADOR NOVA DIESEL & ISUZU PETROL	2 1/2"	10	TVS/HM/4	F	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
BBL / HM / 5	STD	AMBASSADOR NOVA DIESEL & ISUZU PETROL	1 1/2"	10	TVS/HM/5	R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
BBL / TK / 1	STD	HINDUSTAN TREKKER	2 1/2"	12	TVS/TK/1	F	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
BBL / TK / 2	STD	HINDUSTAN TREKKER	1 3/4"	12	TVS/TK/2	R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
HI / 7 / 2	STD	HINDUSTAN AMBASSADOR LOCK HEED TYPE(10 HOLES)	1 1/2"	10	HI/7/1	F&R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
	1/8"	3rd O/S (3.2MM)					
BBL/HC/109	STD	HINDUSTAN CONTESSA	1 1/2"	8		F&R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
BBL / AM / 1	STD	HINDUSTAN AMBASSADOR GRLING TYPE (8 HOLES)	1 1/2"	8	TVS/AM/1	F&R	4

INDIAN VEHICLES - BRAKE LINING

JEEP / PASSENGER CARS/ UTILITY VEHICLES - BRAKE LINING						Brakewel	
BRAKE LINING	Size	Application	Width	No. of Holes	PART NO OF OTHER MFRS	Front/ Rear	NO OF LININGS (PER SET)
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
		PREMIER					
FI / 66 / 1	Std.	PADMINI,PRESIDENT & FIAT 1100, TOYATA QUALIS	2"	10	FI/66/1	F&R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
GG / 72 / 1	STD	DODGE 300.1 TON,JONGA	2 1/2"	12	GG/72/1	F	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
	1/8"	3rd O/S (3.2MM)					
BBL/ NI / L&S	STD	DODGE 300.1 TON	2 1/2"	12 8		R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
		MAHINDRA & MAHINDRA					
BBL/FC/150 L & S	STD	FC/150,FC-160,FC/360 & FJ-460D & REAR FOR MM 640,COMMANDER,ARMADA (WITH BRAKE LINING GIRLING ASSEMBLY)	2"	12 10	TVS/FC/150/L&S	F&R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
	1/8"	3rd O/S (3.2MM)					
BBL / 540 / B	STD	MM 540, COMMANDER,ARMADA WITH BRAKE LINING GIRLING ASSEMBLY	2"	12	TVS/COM/1	F	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
BBL/540/K	STD	MM 540, FITTED WITH KBX BRAKE ASSEMBLY	2"	12		F	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
BBL / 540 / K / L & S	STD	MM 540, FITTED WITH KBX BRAKE ASSEMBLY	2"	12 10		R	4

INDIAN VEHICLES - BRAKE LINING

JEEP / PASSENGER CARS/ UTILITY VEHICLES - BRAKE LINING						Brakewel	
BRAKE LINING	Size	Application	Width	No. of Holes	PART NO OF OTHER MFRS	Front/ Rear	NO OF LININGS (PER SET)
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
BBL / 2011- L & S	STD	LOCKHEED TYPE	1 3/4"	12 8	2011/1&2	F&R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
BBL / WJ / L & S	STD	GIRLING TYPE	1 3/4"	12 8	TVS/WL/1&2	F&R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
BBL/M&M/Utility/1&2	STD	MAHINDRA UTILITI	2"	12 10		F&R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
BBL/MARSHAL/B	STD	M&M MARSHAL(GIRLING ASSY.)	2 1/4"	12	RBL/MARSHAL/B	F&R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
BBL/MARSHAL/TX/L&S	STD	M&M MARSHAL(GIRLING ASSY.)	2"	12 10	RBL/MARSHAL/TX/L&S	F&R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
	1/8"	3rd O/S (3.2MM)					
BBL/FJ470D/F	STD	MAHINDRA JEEP(NEW MODEL)	2 1/4"	12		F	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
BBL/FJ470D/R/L&S	STD	MAHINDRA JEEP(NEW MODEL)	2"	12 10		R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
BBL/M&M/SCORPIO/L&S	STD	MAHINDRA SCORPIO	2"	12 10		F&R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					

INDIAN VEHICLES - BRAKE LINING

JEEP / PASSENGER CARS/ UTILITY VEHICLES - BRAKE LINING						Brakewel	
BRAKE LINING	Size	Application	Width	No. of Holes	PART NO OF OTHER MFRS	Front/ Rear	NO OF LININGS (PER SET)
		STANDARD					
GG / 72 / 1	STD	STD-20 DIESEL & PETROL	2 1/4"	12	GG/72/1	F	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
	1/8"	3rd O/S (3.2MM)					
GG / 48 / 2	STD	STD-20 PETROL				R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
BBL/FC/150 L & S	STD	STD-20 DIESEL	2"		TVS/FC/150/L&S	R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
	1/8"	3rd O/S (3.2MM)					
		BAJAJ TEMPO (MATADOR)					
BBL / FC / 150 L & S	STD	F-305/F-307 1" BRAKES GIRLING ASSEMBLY	2"	12 10	TVS/FC/150/L&S	F&R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
	1/8"	3rd O/S (3.2MM)					
BBL / MAT / 10	STD	BAJAJ F-305/F-307 (WITH OM 616 ENGINE)	2"	10	TVS/MAT/1	F&R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
BT / R 307 / B	STD	R-307/REAR ENGINE (GIRLING ASST) UPTO SEPT-93	3 1/2"	12		F	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
BBL / T207/B/L&S	STD	R-307/REAR ENGINE (GIRLING ASST) UPTO SEPT-93	2"	12 10	TVS/T-207/B/1&2	R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					

INDIAN VEHICLES - BRAKE LINING

JEEP / PASSENGER CARS/ UTILITY VEHICLES - BRAKE LINING						Brakewel	
BRAKE LINING	Size	Application	Width	No. of Holes	PART NO OF OTHER MFRS	Front/ Rear	NO OF LININGS (PER SET)
BBL / F307 /K /L&S	STD	BAJAJ MATADOR MAX/TRAX WITH KBX,BRAKE ASSEMBLY, HM RTV	2"	12 10	TVS/MAT/MAX/ 1&2	F&R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
BBL / TRAX / K	STD	BAJAJ TRAX WITH KBX,BRAKE ASSEMBLY	2 1/2"	12		F	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
BT / TI / L&S	STD	BTL:TEMPO TRAVELLOR WITH BTL BRAKE ASSEMBLY	2"	14 12		R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					
		TELCO					
BBL / T207/B/L&S	STD	TATA-207/SIERA/ESTATE (GIRLING ASSY.), TATA SUMO	2"	12 10	TVS/T207/1&2	R	4
	1/32"	1st O/S (0.8MM)					
	1/16"	2nd O/S (1.6MM)					

INDIAN VEHICLES - CLUTCH FACING

JEEP / PASSENGER CARS/UTILITY VEHICLES - CLUTCH FACING					Brakewel	
CLUTCH FACING	Application	THICKNESS (mm)	No. of Holes	Size of Diameter in Inches	PART NO OF OTHER MFRS	NO OF FACINGS (PER SET)
TELCO						
TATA ACE(16/24)	TATA ACE	3/3.2	16	6 3/4"		2
INDICA (12) 3.0 MM	INDICA	3.0	12	7 1/2"		2
INDICA (12) 3.2 MM	INDICA	3.2	12	7 1/2"		2
INDIGO MARINA(12/24)	INDIGO MARINA	3.0	12	7 3/4"		2
TATA WINGER	TATA WINGER	3.1	16	8 1/2"		2
TATA - 228 (18)	TATA SUMO/SIERA/ESTATE TATA-207	3.5	18	9"		2
TATA - 228 (16)	TATA SUMO/SIERA/ESTATE TATA-207	4.0	16	9"		2
MAHINDRA						
LOGAN	MAHINDRA LOGAN	3.1	16	8 1/2"		2
(216) Modified (16) (216) Modified (20)	WILLYS JEEP(857-A)	3.2	16 20	8 1/2"		2
884	WILLYS JEEP	3.4	16	8 1/2"		2
Peugeot (230)	BELERO,PEUGEOT	3.42	16	9"		2
10 / TA / 1	OM 606 & MAHINDRA JEEP	3.9	36	9 1/4"		2
COMMANDER	COMMANDER	3.8	32	9 1/2"		2
SCORPIO	SCORPIO	3.4	16	9 1/2"		2
SCORPIO CRDI	SCORPIO CRDI	3.5		9 1/2"		2
MARUTI						
MARUTI CAR (12)	MARUTI 800	3	12	6 1/2"		2
M.CAR(16) 3.0 MM M.CAR(18) 3.0 MM	MARUTI 800	3	16	6 1/2"		2
M.CAR(16) 3.5 MM M.CAR(18) 3.5 MM	MARUTI 800	3.5	18	6 1/2"		2
MARUTI ZEN(12)	MARUTI ZEN	3	12	6 3/4"		2
M.ZEN(VAL)	MARUTI ZEN	3	12	6 3/4"		2
ALTO(18/18)	MARUTI ALTO	3/3.2	18	6 3/4"		2

INDIAN VEHICLES - CLUTCH FACING

JEEP / PASSENGER CARS/UTILITY VEHICLES - CLUTCH FACING						Brakewel
CLUTCH FACING	Application	THICKNESS (mm)	No. of Holes	Size of Diameter in Inches	PART NO OF OTHER MFRS	NO OF FACINGS (PER SET)
MARUTI VAN (16) MARUTI VAN (18)	MARUTI OMNI	3.2	16	7"		2
F 8 D	MARUTI WAGON R	3/3.2	18	7"		2
M.VAN(12)	MARUTI OMNI	3	12	7"		2
MARUTI ESTEEM(16)	MARUTI ESTEEM	3.5	16	7 1/2"		2
Gypsy King	MARUTI GYPSY	3.5	24	7 1/2"		2
MODEL-C	MARUTI VERSA	3	24	7 1/2"		2
BALENO	BALENO	3.5	24	7 1/2"		2
SX4	MARUTI SX4	3.5	24	8"		2
PREMIER						
PAL - 118 NE (16) PAL - 118 NE (18)	PAL 118NE	3.5	16 18	7"		2
1/FI/1(12) 1/FI/1(18)	FIAT	3.2	12 18	7 1/4"		2
TOYOTA						
TOYOTA COROLLA	COROLLA	3.4	16	8 1/4"		2
TOYOTA QUALIS	TOYOTA QUALIS	3.5	16	8 3/4"		2
TOYOTA CAMRY	CAMRY	3.5	24	8 3/4"		2
TOYOTA INNOVA	INNOVA	3.5	16	9 1/4"		2
HINDUSTAN MOTORS						
CONTESSA(16) CONTESSA(18)	HM-CONTESSA/ RTV	3.5	16 18	8 1/2"		2
HYUNDAI						
SANTRO XING	HYUNDAI SANTRO XING	3.5	16	7"		2
SANTRO(12)	HYUNDAI SANTRO	3	12	7"		2
ACCENT	HYUNDAI ACCENT	3.5	16	7 3/4"		2
ACENT VIVA	HYUNDAI ACCENT VIVA	3.2	16	8 1/2"		2

INDIAN VEHICLES - CLUTCH FACING

JEEP / PASSENGER CARS/UTILITY VEHICLES - CLUTCH FACING					Brakewel	
CLUTCH FACING	Application	THICKNESS (mm)	No. of Holes	Size of Diameter in Inches	PART NO OF OTHER MFRS	NO OF FACINGS (PER SET)
VERNA	HYUNDAI VERNA	3.5	16	9 1/2"		2
OTHERS						
155X114X3.2(12)	APE PIAGGIO	3.2	12	6"		2
BAJAJ (16)	BAJAJ TEMPO	3	16	6"		2
MATIZ	DAEWOO MATIZ	3	16	6 3/4"		2
FORD IKON 1.3	FORD IKON 1.3	3	16	7"		2
HONDA CITY ZX	HONDA CITY ZX	3.2	16	7 1/2"		2
Lancer	mitsubishi LANCER DIESEL	3.5	24	7 3/4"		2
200 CIELO (12)	DAEWOO CIELO	3.5	12	7 3/4"		2
FORD IKON 1.6	FORD IKON 1.6	3.3	16	7 3/4"		2
HONDA CITY	HONDA CITY	3.5	16	7 3/4"		2
FORD IKON 1.8	FORD IKON 1.8	3	16	8 1/4"		2
Tavera	CHEVROLET TAVERA	3.5	24	8 3/4"		2
SKODA	SKODA OCTAVIA	3	16	8 3/4"		2
TRAX GAMMA	TEMPO TRAX GAMMA	4	16	9 1/2"		2